

HQ

Cutting-Edge Lighting Solutions

HQ Lamps

Manufacturing Co. Pvt. Ltd

About Us

The roots of the company goes back to the year 2007 when a proprietorship firm Goel Lightings was established by the founder Mr. Rakesh Goel to carry on the business of manufacturers and exporters of an admirable range of Compact Fluorescent Lamps (CFLs), PLC Tube and CFL Fittings and LED lights.

With a vision to expend in LED Lighting Business and manufacture world class energy efficient products for Indian as well as international market, Mr. Rakesh Goel and Mukesh Goel Established "HQ Lamps", with manufacturing facility in Haridwar and corporate office in Noida.

Vision : "Enriching quality of life by ensuring safe, efficient and convenient use of electricity" - has been our guiding force in development of new and better products. Our culture of innovation and constant change has played a key role in our success.

Mission :

- Our focus is on "Energy Management" i.e. designing and building product that not only control but also conserve and comprehensively manage mankind's greatest asset i.e. electrical energy . Our Mission has enabled us to serve millions of our customers in India with world class products.
- Today HQ Lamps has emerged as a strong brand name and has a proven track record in domestic markets. Our deep commitment to social responsibility gives us more satisfaction as the fact that millions of customers in very corner of India respect us, and use our products for protection of people, property and possessions.

SUBHAH®

LED Bulb Decorative Range

Product benefits

- No UV or infra-red radiation, no mercury or lead
- No need for starter
- Instant soft-start without flickering, no humming
- Easy on install
- Long life than incandescent bulb & CFL's
- Available in Cool White Natural White/ Warm White

Applications

- Under Cabinet Lighting
- Display Case Lighting
- Subways Stations, Banks & Libraries
- Warehouses, residential
- Shops and furniture fixtures
- Home/office lightings
- Hotels restaurants
- Exhibition galleries closet factories

Product characteristics

- Working life-span approx. 25000 *hour
- Color temperature: 3000k, 4000k & 6500k
- Thermoplastic housing
- Wide voltage range (100-300 v)
- Light Weight

* Under test conditions

SUBHAH®

HQ

LED Candle Frosted E27

Wattage (W)	Voltage (V)	Input Current (A)	Lumen (lm)	CCT (K)	Overall Length (mm)	Dia (mm)
3W	230V	0.012	240	6500K	110	37
5W	230V	0.022	400	6500K	110	37

LED Candle Clear E27

Wattage (W)	Voltage (V)	Input Current (A)	Lumen (lm)	CCT (K)	Overall Length (mm)	Dia (mm)
3W	230V	0.012	210	6500K	110	37
5W	230V	0.022	350	6500K	110	37

LED Night Lamps

Wattage (W)	Voltage (V)	Input current (mA)	Color	Base Type	Overall Length (mm)	Dia (mm)
0.5W	230V	13	Blue	B22d	69	45
0.5W	230V	13	Green	B22d	69	45
0.5W	230V	13	Red	B22d	69	45
0.5W	230V	13	White	B22d	69	45
0.5W	230V	13	Pink	B22d	69	45
0.5W	230V	13	Yellow	B22d	69	45
0.5W	230V	13	Orange	B22d	69	45

Note : Physical Appearance of product may change due to continuous upgradation.

H.Q. Lamps Manufacturing Co. Pvt. Ltd.

(An ISO 9001:2015 Certified Company)

Corp. Off. : A-77, IInd Floor, Sector- 2, Noida, Uttar Pradesh 201301, India

Ph. : 0120-4895850-51, 0130-2981032

Factory 1: Plot No. 73-75, Sector- 6-A, IIE, SIDCUL, Haridwar- 249403, India

Factory 2: Plot No. 459-B, Sector-53, Phase III, HSIIDC, Industrial Estate, Kundli, Sonipat (Haryana) 131028, India

SUBHAH®
LED Bulb Range

Product benefits
- No UV or infra-red radiation, no mercury or lead
- No need for starter
- Instant soft-start without flickering, no humming
- Easy on install
- Long life than incandescent bulb & CFL's
- Available in Cool White Natural White/ Warm White

Applications
- Under Cabinet Lighting
- Display Case Lighting
- Subways Stations, Banks & Libraries
- Warehouses, residential
- Shops and furniture fixtures
- Home/office lightings
- Hotels restaurants
- Exhibition galleries closet factories

Product characteristics
- Working life-span approx. 25000 *hour
- Color temperature: 3000k, 4000k and 6500k
- Thermoplastic housing
- Wide voltage range (100-300 v)
- Light Weight

* Under test conditions

SUBHAH®

Rocket Bulbs

Wattage (W)	Voltage (V)	Current (A)	Lumen (lm)	CCT (K)	Overall Length (mm)	Overall Width (mm)
26W	230V	0.110A	2600 lm	6500K	211	100
36W	230V	0.160A	3600 lm	6500K	227	100
45W	230V	0.200A	4500 lm	6500K	247	100

LED Bulb High Beam

Wattage (W)	PF	Input Current (A)	Lumen (lm)	CCT (K)	Overall Length (mm)	Dia (mm)
3W	0.9	0.014	300	6500K	91	50
5W	0.9	0.022	500	6500K	109	60
7W	0.9	0.032	700	6500K	115	65
9W	0.9	0.04	900	6500K	122	70
12W	0.9	0.055	1200	6500K	140	80
14W	0.9	0.064	1400	6500K	140	80
18W	0.9	0.082	1800	6500K	160	95

LED Bulb Low Beam

Wattage (W)	PF	Input Current (A)	Lumen (lm)	CCT (K)	Overall Length (mm)	Dia (mm)
3W	0.9	0.014	300	6500K	96	52
5W	0.9	0.022	500	6500K	101	56
7W	0.9	0.032	700	6500K	101	56
9W	0.9	0.04	900	6500K	101	56
12W	0.9	0.055	1200	6500K	120	65
15W	0.9	0.064	1500	6500K	120	65
18W	0.9	0.082	1800	6500K	127	68

Note : Physical Appearance of product may change due to continuous upgradation.

H.Q. Lamps Manufacturing Co. Pvt. Ltd.

(An ISO 9001:2015 Certified Company)

Corp. Off. : A-77, IInd Floor, Sector- 2, Noida, Uttar Pradesh 201301, India

Ph. : 0120-4895850-51, 0130-2981032

Factory 1: Plot No. 73-75, Sector- 6-A, IIE, SIDCUL, Haridwar- 249403, India

Factory 2: Plot No. 459-B, Sector-53, Phase III, HSIIDC, Industrial Estate, Kundli, Sonipat (Haryana) 131028, India

SUBHAH®

LED Batten & Tube Light Series

Product characteristics

- Plastic body
- Wide voltage range (100-300 V)
- Color temperature: 3000K, 4000K & 6500K
- Thermoplastic diffuser
- Light weight

Applications

- Home/office lightings
- Display case lightings
- Under cabinet lightings
- Shop and furniture fixture
- Hotels restaurant
- Commercial building
- Station warehouses residential
- Parking lot railway
- Subway station bank library

* Under test conditions

SUBHAH®

HQ

LED T5 ALUMINUM BATTEN

Wattage (W)	Voltage (V)	Input Current (A)	CCT (K)	Lumen (lm)	Overall Length (mm)
22W	230V	0.110A	6500K	2200	1185
24W	230V	0.120A	6500K	2400	1185

LED T5 PLASTIC BATTEN

Size	Wattage (W)	Voltage (V)	Input Current (A)	CCT (K)	Lumen (lm)	Overall Length (mm)
1ft	05W	230V	0.025A	6500K	450	295
2ft	10W	230V	0.050A	6500K	950	585
4ft	18W	230V	0.090A	6500K	1800	1185
4ft	20W	230V	0.095A	6500K	2000	1185
4ft	22W	230V	0.100A	6500K	2200	1185

LED T8 TUBE LIGHT

Wattage (W)	Voltage (V)	Input Current (A)	Lumen (lm)	CCT (K)	Overall Length (mm)
18W	230V	0.090A	1800	3000-6500	1235
20W	230V	0.095A	2000	3000-6500	1235

H.Q. Lamps Manufacturing Co. Pvt. Ltd.

(An ISO 9001:2015 Certified Company)

Corp. Off. : A-77, IInd Floor, Sector- 2, Noida, Uttar Pradesh 201301, India

Ph. : 0120-4895850-51, 0130-2981032

Factory 1: Plot No. 73-75, Sector- 6-A, IIE, SIDCUL, Haridwar- 249403, India

Factory 2: Plot No. 459-B, Sector-53, Phase III, HSIIDC, Industrial Estate, Kundli, Sonipat (Haryana) 131028, India

Note : Physical Appearance of product may change due to continuous upgradation.

SUBHAH®
Slim Panel Series

Applications
- Home/office lightings
- Under cabinet lightings
- Shop and furniture fixture
- Hotels, Restaurants
- Commercial buildings
- Warehouses residential
- Subway Stations, Bank, Libraries

Product characteristics
- High quality powder coated
- Wide voltage & content current design (140-270 v)
- Color temperature at 3000k and 6500k
- Working life–span approx. 25000* hour
- High quality Aluminum casing

* under text condition

SUBHAH®

HQ

LED Slim Panel Square

Wattage (W)	Voltage (V)	Input Current (A)	CCT (k)	Lumen (lm)	Overall Size LXW (mm)	Height (mm)	Cutout Size (mm)
3W	230	0.02	3000-6500	240	85 x 85	20	73x73
6W	230	0.03	3000-6500	340	120 x 120	20	108 x 108
9W	230	0.055	3000-6500	650	120 x 120	20	108 x 108
12W	230	0.06	3000-6500	780	170 x 170	20	155 x 155
15W	230	0.07	3000-6500	1020	170 x 170	20	155 x 155
18W	230	0.09	3000-6500	1260	225 x 225	20	205 x 205
24W	230	0.125	3000-6500	1920	300 x 300	20	280 x 280

LED Slim Panel Round

Wattage (W)	Voltage (V)	Input Current (A)	CCT (k)	Lumen (lm)	Overall Size LXW (mm)	Height (mm)	Cutout Size (mm)
3W	230	0.02	3000-6500	240	82	18	70
6W	230	0.03	3000-6500	340	120	20	108
9W	230	0.055	3000-6500	650	120	20	108
12W	230	0.06	3000-6500	780	170	20	155
15W	230	0.07	3000-6500	1020	170	20	155
18W	230	0.09	3000-6500	1260	225	20	205
24W	230	0.125	3000-6500	1920	300	20	280

Note : Physical Appearance of product may change due to continuous upgradation.

H.Q. Lamps Manufacturing Co. Pvt. Ltd.
(An ISO 9001:2015 Certified Company)
Corp. Off. : A-77, IInd Floor, Sector- 2, Noida, Uttar Pradesh 201301, India
Ph. : 0120-4895850-51, 0130-2981032
Factory 1: Plot No. 73-75, Sector- 6-A, IIE, SIDCUL, Haridwar- 249403, India
Factory 2: Plot No. 459-B, Sector-53, Phase III, HSIIDC, Industrial Estate, Kundli, Sonipat (Haryana) 131028, India

SUBHAH®

Surface Panel Series



Accessories
- Mounting clips
- Led driver with cable

Product characteristics
- High quality power coated
- Wide voltage &constant design (100-300 v)
- Color temperature at 3000k and 6500k
- High quality aluminum casing

Applications
- Home/office lightings
- Under cabinet lightings
- Shop and furniture fixture
- Hotels Restaurants
- Commercial buildings
- Warehouses residential
- Subway stations, Banks, Libraries
- Exhibition Galleries

SUBHAH®

LED Panel Square

Wattage (W)	Voltage (V)	CCT (k)	Lumen (lm)	Color	H (mm)	Cutout (mm)
6 w	230	6500k	360	White	38	98
12 w	230	6500k	840	White	38	177
18 w	230	6500k	1260	White	38	225

LED Panel Round

Wattage (W)	Voltage (V)	CCT (k)	Lumen (lm)	Color	H (mm)	Cutout (mm)
6 w	230	6500k	360	White	38	98
12 w	230	6500k	840	White	38	177
18 w	230	6500k	1260	White	38	225

H.Q. Lamps Manufacturing Co. Pvt. Ltd.
(An ISO 9001:2015 Certified Company)
Corp. Off. : A-77, IInd Floor, Sector- 2, Noida, Uttar Pradesh 201301, India
Ph. : 0120-4895850-51, 0130-2981032
Factory 1: Plot No. 73-75, Sector- 6-A, IIE, SIDCUL, Haridwar- 249403, India
Factory 2: Plot No. 459-B, Sector-53, Phase III, HSIIDC, Industrial Estate, Kundli, Sonipat (Haryana) 131028, India
Note : Physical Appearance of product may change due to continuous upgradation.

SUBHAH®
Tile Series

Advantages
- No Mercury
- Available in all Colors 3000K/4000K/65000K
- Uniform Brightness
- Retrofitting in False ceiling
- Long Life
- Easy maintenance

Application
- Offices
- Shopping Malls
- Homes
- Hotels

SUBHAH®

LED Panel Square

Model	Wattage (W)	Voltage (V)	Current (A)	Lumen (lm)	CCT (k)
1 x 1	12 W	230	0.05	1000	30000-6500
1 x 2	24 W	230	0.095	2200	30000-6500
1 x 4	36W	230	0.16	3060	30000-6500
2 x 2	36 w	230	0.16	3060	30000-6500
2 x 2	45 w	230	0.2	3570	30000-6500

Note : Physical Appearance of product may change due to continuous upgradation.

H.Q. Lamps Manufacturing Co. Pvt. Ltd.
(An ISO 9001:2015 Certified Company)
Corp. Off. : A-77, IInd Floor, Sector- 2, Noida, Uttar Pradesh 201301, India
Ph. : 0120-4895850-51, 0130-2981032
Factory 1: Plot No. 73-75, Sector- 6-A, IIE, SIDCUL, Haridwar- 249403, India
Factory 2: Plot No. 459-B, Sector-53, Phase III, HSIIDC, Industrial Estate, Kundli, Sonipat (Haryana) 131028, India

SUBHAH®

LED Street Light

Advantages

- Low Maintenance
- Low glare
- High surge protection up to 20KV
- High lumen
- Unique and attractive design
- Easy to install
- IP65 & IP66 Class
- LM79

SUBHAH®

LED Street Light

Wattage (W)	Voltage (V)	Current (A)	Lumen (lm)	CCT (k)	Overall length (mm)
18 w	230	0.08	1800	2700-6500	320
35 w	230	0.15	3500	2700-6500	320
70 w	230	0.3	7000	2700-6500	475
110 w	230	0.5	11000	2700-6500	475
140 w	230	0.64	14000	2700-6500	585
200 w	230	0.915	20000	2700-6500	625

Also available 12W | 20 W | 24W | 30W | 36W | 45W
50W | 80W |90W | 120W | 150W

H.Q. Lamps Manufacturing Co. Pvt. Ltd.
(An ISO 9001:2015 Certified Company)
Corp. Off. : A-77, IInd Floor, Sector- 2, Noida, Uttar Pradesh 201301, India
Ph. : 0120-4895850-51, 0130-2981032
Factory 1: Plot No. 73-75, Sector- 6-A, IIE, SIDCUL, Haridwar- 249403, India
Factory 2: Plot No. 459-B, Sector-53, Phase III, HSIIDC, Industrial Estate, Kundli, Sonipat (Haryana) 131028, India
Note : Physical Appearance of product may change due to continuous upgradation.

SUBHAH®

LED Flood Light

Applications

- Road Lighting
- Industry lighting
- Advertisement board illumination
- Playground illumination
- Central pole lighting
- 20KV Surge Protection
- Long Life
- High lumen

Also Available in 20W | 40W | 60W |80W |100W

SUBHAH®

LED Flood Light

Wattage (W)	Voltage (V)	Current (A)	Lumen (lm)	CCT (k)	Length (mm)	Width (mm)	Height (mm)
120	240	0.5	12000	4000/5700	390	300	135
140	240	0.6	14000	4000/5700	390	300	135
190	240	0.8	19000	4000/5700	515	315	160
200	240	0.9	20000	4000/5700	515	315	160
300	240	0.9	30000	4000/5700	550	330	170

Also Available : 10W | 20W | 30W | 50W | 70W 100W

Note : Physical Appearance of product may change due to continuous upgradation.

H.Q. Lamps Manufacturing Co. Pvt. Ltd.
(An ISO 9001:2015 Certified Company)
Corp. Off. : A-77, IInd Floor, Sector- 2, Noida, Uttar Pradesh 201301, India
Ph. : 0120-4895850-51, 0130-2981032
Factory 1: Plot No. 73-75, Sector- 6-A, IIE, SIDCUL, Haridwar- 249403, India
Factory 2: Plot No. 459-B, Sector-53, Phase III, HSIIDC, Industrial Estate, Kundli, Sonipat (Haryana) 131028, India

SUBHAH®

Solar Street Light

Note : Physical Appearance of product may change due to continuous upgradation.

SUBHAH®

Solar Street Light Series

Model	Panel	Battery	Lumen (Lm)	CCT	CRI
7W	40W	12Ah 12V	700	5700	>70
12W	75W	75Ah 12V	1200	5700	>70
18W	110W	100Ah 12V	1800	5700	>70

Light :
- 100 Lm/W and above
- Dusk to Dawn controller
- Low battery indicator

Battery Options :
- Tubular Lead Acid Battery
- Lithium Phosphate Battery

Solar Panel :
- Conversion efficiency above 16%
- Long Life and low de-rating characteristics

Accessories :
- GI Pole and Pole arm
- Panel Mounting Structure
- Battery Box and Mounting accessories

Note : Physical Appearance of product may change due to continuous upgradation.

H.Q. Lamps Manufacturing Co. Pvt. Ltd.
(An ISO 9001:2015 Certified Company)
Corp. Off. : A-77, IInd Floor, Sector- 2, Noida, Uttar Pradesh 201301, India
Ph. : 0120-4895850-51, 0130-2981032
Factory 1: Plot No. 73-75, Sector- 6-A, IIE, SIDCUL, Haridwar- 249403, India
Factory 2: Plot No. 459-B, Sector-53, Phase III, HSIIDC, Industrial Estate, Kundli, Sonipat (Haryana) 131028, India



MANUFACTURER OF LED LIGHTS & SOLAR LIGHTS

Regd. Office : A-77 , Sector 2, NOIDA 201301 (INDIA)

Plant : Plot no. 73-75, Sector 6A, IIE, SIDCUL , Haridwar-249403 (INDIA)

H.Q. Lamps Manufacturing Co. Pvt. Ltd.
Plot No. 459-B, Sector-53, Phase III, HSIIDC, Industrial Estate,
Kundli, Sonipat (Haryana) 131028, India